ELSEVIER

Journal of Organometallic Chemistry 553 (1998) 525–526

Journal of Organometallic Chemistry

Author Index of Volume 553

A-ihara, N.-a., 493
Abrahams, I., 23
Aitola, E., 173
Alonso, F., 463
Alt, H.G., 205
Amouri, H., 483
Ansari, M.A., 141
Antelmann, B., 433
Arif, A.M., 277

Barba, L., 345
Baum, G., 511
Bayón, J.C., 199
Beckhaus, R., 427
Bildstein, B., 73
Bishop, L.A., 53
Bodensieck, U., 307
Borisov, G.K., 59
Börner, A., 99
Böttcher, H.-C., 371
Breu, J., 285
Bricout, H., 469
Brintzinger, H.-H., 331
Bruhn, C., 371
Brüll, R., 83
Brunner, H., 285
Brusilovets, A.I., 379

Calhorda, M.J., 115
Cassetta, A., 345
Castillo, D., 221
Chang, C.-W., 417
Cinellu, M.A., 405
Cingolani, A., 345
Cole-Hamilton, D.J., 473

Damrau, H.-R.H., 331
Dang, H.-S., 67
Daran, J.-C., 221
Davies, A.G., 67
Davies, S.G., 463
Demina, M., 129
Demina, M.M., 481
Dias, A.R., 115
Ding, M., 179
Dobado, J.A., 173
Dorta, R., 307
Duarte, M.T., 115

Edelmann, F.T., 393
Enokido, T., 493
Ernst, R.D., 277
Evans, W.J., 141

Elsevier Science S.A.

Farfán, N., 221
Fischer, A., 111
Fischer, R.W., 443
Flörke, U., 497

Garcia, M.H., 115
Garkusha, O.G., 59
Gerbrandij, A.W., 115
Geyer, A., 331
Ginyama, H., 163
Gipson, S.L., 269
Goovaerts, E., 115
Graf, M., 371
Gustafsson, M., 173
Gutierrez, A., 221

Hardt, T., 241
Harima, Y., 487
Hart, S.L., 507
Haupt, H.-J., 497
Heinemann, O., 477
Herrmann, W.A., 443
Heßler, A., 39
Hiller, J., 15
Holz, J., 99
Höpfl, H., 221
Huttner, G., 433

Iglesias, M., 193
Inomata, S., 1
Ishikawa, M., 487
Ito, S., 135

Jääskeläinen, S., 453
Jaitner, P., 103
Jany, G., 173
Jerzykiewicz, L.B., 379
Jolly, P.W., 477
Jones, P.G., 111
Jutzi, P., 317

Kawano, Y., 1
Khan, S.I., 141
Kira, M., 163
Kläui, W., 241
Kless, A., 99
Klinga, M., 173
Köhler, K., 31
Kool, L.B., 53
Kopacka, H., 73
Kosugi, M., 493
Kramkowski, P., 511
Kreißl, F.R., 103
Krüger, C., 477
Kruger, G.J., 83
Kucken, S., 39
Kühn, F.E., 443
Kunai, A., 487
Kunkely, H., 517

Lang, H., 31
Larina, L., 129
Lazell, M., 23
Le Bras, J., 483
Lee, G.-H., 417
Lee, T.-Y., 397
Lehotkay, Th., 103
Lensink, C., 387
Leskelä, M., 173
Lightfoot, P., 473
Lin, Y.-C., 417
Liu, N., 157
Liu, Q., 179
Liu, Z., 269
Lokshin, B.V., 59

Mach, K., 15
Manassero, M., 405
McCamley, A., 507
McCormack, P.J., 507
Mealli, C., 115
Medvedeva, A., 129
Medvedeva, A.S., 481
Mendes, P., 115
Merlic, C.A., 183
Merzweiler, K., 371
Messerle, L., 397
Meyer, W.H., 83
Migita, T., 493
Miliani, M., 345
Milius, W., 205
Minghetti, G., 405
Mochida, K., 163
Moinet, C., 253
Monflier, E., 469
Mortreux, A., 469
Motevalli, M., 23

Nakano, T., 493
Neumann, B., 317
Nief, F., 503
Noda, S., 493
Nodono, M., 487
Novokshonov, V.V., 481

Ogino, H., 1
Ohshita, J., 487
Okazaki, M., 1
Oster, J., 427

Pakkanen, T.A., 453
Peifer, B., 205
Pellei, M., 345
Pereira, J.P.R., 199
Pereira, M.M., 199
Periasamy, M., 91
Petri, S.H.A., 317
Petters, D., 497
Pettinari, C., 345
Piedade, M.F.M., 115
Pierre, F., 253
Pifferi, A., 345
Plack, V., 111
Polášek, M., 15
Poremba, P., 393
Pritzkow, H., 31
Prosenc, M.-H., 331

Rao, M.L.N., 91
Räsänen, T.M., 453
Raubenheimer, H.G., 83
Reinke, H., 99
Repo, T., 173
Ricard, L., 503
Rivarola, E., 345
Rocha Gonsalves, A.M.d'A., 199

Sakhaii, P., 111
Sansoni, M., 405
Santillan, R., 221
Santos, A., 193
Schaper, F., 331
Scheer, M., 511
Schmutzler, R., 111
Schweiger, M., 73
Serra, M.E.S., 199
Shah, S.A.A., 23
Sheldrick, W.S., 39
Sinbandhit, S., 253
Smethurst, C.A.P., 463
Sobota, P., 379
Stammler, H.-G., 317
Stelzer, O., 39
Stoccoro, S., 405
Stoeckli-Evans, H., 307
Stricker, A., 253
Sullivan, A.C., 23
Sun, G.-R., 111
Sun, J., 149
Süss-Fink, G., 307

Takahashi, M., 163
Tamao, K., 111
Taylor, P.C., 507
Thewalt, U., 15
Thompson, C., 83
Tian, G., 149
Ting, P.-C., 417
Tobita, H., 1
Toupet, L., 253
Toyota, K., 135
Turner, M.A., 53

Ueno, Y., 487
Utko, J., 379

Vaissermann, J., 483
Varga, V., 15
Velikanov, A., 129
Verhovnik, G.P.J., 477
Vogler, A., 517
Voronkov, M., 129
Voronkov, M.G., 481
Vos, D., 277

Wachter, W.M., 443
Wang, Y., 417
Watanabe, T., 487
Weeber, A., 331
Wenseleers, W., 115
Weston, W.S., 473
Winter, A., 285
Winterhalter, U., 433
Wu, F., 183
Wurst, K., 73, 103

Xu, S., 149

Yamashita, K., 487
Yi, C.S., 157
Yoshifuji, M., 135

Zhang, Y., 149
Zhou, X., 149
Ziller, J.W., 141
Zucca, A., 405

ELSEVIER

Journal of Organometallic Chemistry 553 (1998) 527–535

Journal of Organometallic Chemistry

Subject Index of Volume 553

Absorption spectra
Electronic spectrum and photoreactivity of dimethyl(1,5-cyclo-octadiene)-platinum(II) (H. Kunkely and A. Vogler), 517
Acetylenic alcohols
Universal method for trimethylsilylation of acetylenic alcohols and glycols (M. Demina, A. Velikanov, A. Medvedeva, L. Larina and M. Voronkov), 129
Acetylenic glycols
Universal method for trimethylsilylation of acetylenic alcohols and glycols (M. Demina, A. Velikanov, A. Medvedeva, L. Larina and M. Voronkov), 129
Acrylic acids
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
Acylation
Synthesis of β-keto Fischer carbene complexes (C.A. Merlic and F. Wu), 183
Acylgold(I) organyls as ligands
First examples of acylgold(I) complexes $RCOAuPPh_3$ (R = Me, *n*-Bu, *t*-Bu, Ph) trapped as oxygen coordinated ligands L at one of rhenium atoms in $Re_2(\mu\text{-}PPh_2)_2(CO)_7$(ax-L) (H.-J. Haupt, D. Petters and U. Flörke), 497
Alkali metal
Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system (W.J. Evans, M.A. Ansari, J.W. Ziller and S.I. Khan), 141
Alkene
The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91
Alkoxide
Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system (W.J. Evans, M.A. Ansari, J.W. Ziller and S.I. Khan), 141
Alkoxides
Synthesies, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-thffo})_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-thffo})_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-thffo})_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds (P. Sobota, J. Utko, A.I. Brusilovets and L.B. Jerzykiewicz), 379
Alkyl
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CLXVI. Molekulare Organorhenium-Vorstufen für CVD-prozesse (W.A. Herrmann, W.M. Wachter, F.E. Kühn and R.W. Fischer), 443
Allylgermanes
Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermanes with allylic chlorides at room temperature (T. Nakano, T. Enokido, S. Noda, N.-a. A-ihara, M. Kosugi and T. Migita), 493
Allyl iodide
Synthesis of ruthenium vinylidene complexes with dppe ligand and their cyclopropenation reaction (C.-W. Chang, P.-C. Ting, Y.-C. Lin, G.-H. Lee and Y. Wang), 417
Allylsilanes
Lewis acid catalysed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate (H.-S. Dang and A.G. Davies), 67
Allylstannanes
Lewis acid catalysed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate (H.-S. Dang and A.G. Davies), 67
Aluminium(III)
Synthesies, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-thffo})_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-thffo})_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-thffo})_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds (P. Sobota, J. Utko, A.I. Brusilovets and L.B. Jerzykiewicz), 379
Alumoxanes
Synthesies, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-thffo})_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-thffo})_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-thffo})_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds (P. Sobota, J. Utko, A.I. Brusilovets and L.B. Jerzykiewicz), 379
Arene
Electrochemical reduction of some $[(\eta^5\text{-Cyclopentadienyl})(\eta^6\text{-arene})iron(II)][PF_6]$ complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253
Aryl
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CLXVI. Molekulare Organorhenium-Vorstufen für CVD-prozesse (W.A. Herrmann, W.M. Wachter, F.E. Kühn and R.W. Fischer), 443
Arylpalladium complexes
Thioethercarboxylates in palladium chemistry: First proof of hemilabile properties of S–O ligands (W.H. Meyer, R. Brüll, H.G. Raubenheimer, C. Thompson and G.J. Kruger), 83
Asymmetric
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
'Ate' complex
Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system (W.J. Evans, M.A. Ansari, J.W. Ziller and S.I. Khan), 141
1,4-benzodiazepin-2-ones
C(3) aurated 1,4-benzodiazepin-2-ones. Synthesis and characterization. Crystal structure of $(L)Au[P(C_6H_4CH_3\text{-}4)_3]$ (HL = 7-chloro-

Elsevier Science S.A.

1,3-dihydro-1- methyl-5-phenyl-2H-1,4-benzodiazepin-2-one, DIAZEPAM) (G. Minghetti, A. Zucca, M.A. Cinellu, S. Stoccoro, M. Manassero and M. Sansoni), 405

Bis(diphenylphosphanyl)ethane type ligands
Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates (H. Brunner, A. Winter and J. Breu), 285

Bis(phosphinoethyl)amines
Wasserlösliche Phosphane VII. Synthese, Koordinationschemie und Templatreaktionen PH-funktioneller Bis(phosphinoethyl)amine (A. Heßler, S. Kucken, O. Stelzer und W.S. Sheldrick), 39

Borinates
Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography (H. Höpfl, N. Farfán, D. Castillo, R. Santillan, A. Gutierrez and J.-C. Daran), 221

Boron complexes
Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography (H. Höpfl, N. Farfán, D. Castillo, R. Santillan, A. Gutierrez and J.-C. Daran), 221

Bridging water
Formation and X-ray structure of $[\{O(Ph_2SiONa)_2\}_4 \cdot (NaOH) \cdot (H_2O) \cdot (7\ pyridine)] \cdot (toluene) \cdot (pyridine)$ incorporating a unique assembly of three fused Na_4O_4 cubane units and a μ_3-water molecule (I. Abrahams, M. Lazell, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 23

Butadiene
Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73

Butatriene
Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73

C_{60}
Reactions of fullerenols $C_{60}(OH)_x$ ($x = 12, 18$) with trialkoxysilanes $(RO)_3Si(CH_2)_3X$ (R = Me, X = Cl; R = Et, X = NH_2) (M. Iglesias and A. Santos), 193

Carbene
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241
Synthesis of β-keto Fischer carbene complexes (C.A. Merlic and F. Wu), 183

Carbon–hydrogen bond activation
Thermal reactions of alkyl(hydrido)(hydrosilyl)iridium(III) complexes: generation of a hydrido(silylene)iridium(I) species via the reductive elimination of alkane and 1,2-H-shift from the silicon atom to the Ir(I) metal center (M. Okazaki, H. Tobita, Y. Kawano, S. Inomata and H. Ogino), 1

Carbonyl
Synthesis of β-keto Fischer carbene complexes (C.A. Merlic and F. Wu), 183
Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ (M. Graf, K. Merzweiler, C. Bruhn and H.-C. Böttcher), 371

Carbonylation
The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91

Carbonylative cyclisations
The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91

Carbonyls
Heteroligand substitution in clusters of ruthenium and cobalt (T.M. Räsänen, S. Jääskeläinen and T.A. Pakkanen), 453

Carbyne
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241

Catalysis
A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on $CpFe(CO)_2I$ (Z. Liu and S.L. Gipson), 269
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
para-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization (G. Jany, M. Gustafsson, T. Repo, E. Aitola, J.A. Dobado, M. Klinga and M. Leskelä), 173

Catalytic carbonylation
Modelling intermediates in the catalytic carbonylation of CH_2I_2 to malonate esters; Evidence for a ketene pathway (W.S. Weston, P. Lightfoot and D.J. Cole-Hamilton), 473

Cerium
Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393

C–H-Activation
Different reaction modes of supermesitylphosphaalkyne with $[W(CO)_5thf]$-unusual C-H-activation forming an indanyl substituent (P. Kramkowski, M. Scheer and G. Baum), 511

Chelate
Synthesies, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-}thffo)_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-}thffo)_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-}thffo)_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds (P. Sobota, J. Utko, A.I. Brusilovets and L.B. Jerzykiewicz), 379

Chiral
ansa-Metallocene derivatives. XLI. Chiral ansa-Magnesocene complexes–syntheses, crystal structures and structural dynamics in solution (H.-R.H. Damrau, A. Geyer, M.-H. Prosenc, A. Weeber, F. Schaper and H.-H. Brintzinger), 331
Synthesis of racemic chiral-at-metal complexes of the group 4 metals by a lithium chloride catalysed ligand redistribution reaction (S.L. Hart, A. McCamley, P.J. McCormack and P.C. Taylor), 507

Chiral diphosphine
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199

Chirality transfer
Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates (H. Brunner, A. Winter and J. Breu), 285

Chiral phosphite
Synthesis and characterization of $Ti(C_5H_5)(2,4\text{-}C_7H_{11})[\overbrace{POCH_2CH(O)C_2H_4O}]$ and $Ti(2,4\text{-}C_7H_{11})_2[\overbrace{POCH_2CH(O)C_2H_4O}]$ chiral phosphite adducts of an open and a half open titanocene (D. Vos, A.M. Arif and R.D. Ernst), 277

Chromium
A facile access to CpCr (acac)Cl and related systems (O. Heinemann, P.W. Jolly, C. Krüger and G.P.J. Verhovnik), 477

Synthesis of β-keto Fischer carbene complexes (C.A. Merlic and F. Wu), 183

Cluster

Fixation of triruthenium clusters on melamine: synthesis and structure of $[Ru_3(\mu_2\text{-}H)(CO)_9\{\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)_2\}]$, *cis*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ and *trans*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ (R. Dorta, H. Stoeckli-Evans, U. Bodensieck and G. Süss-Fink), 307

Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ (M. Graf, K. Merzweiler, C. Bruhn and H.-C. Böttcher), 371

Cobalt carbonyl reagents

The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91

π-Complex

Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes (F. Nief and L. Ricard), 503

Complexes

Wasserlösliche Phosphane VII. Synthese, Koordinationschemie und Templatreaktionen PH-funktioneller Bis(phosphinoethyl)amine (A. Heßler, S. Kucken, O. Stelzer und W.S. Sheldrick), 39

Conducting polymer

Synthesis and properties of dithienosiloles (J. Ohshita, M. Nodono, T. Watanabe, Y. Ueno, A. Kunai, Y. Harima, K. Yamashita and M. Ishikawa), 487

Configuration

ansa-Metallocene derivatives. XLI. Chiral ansa-Magnesocene complexes–syntheses, crystal structures and structural dynamics in solution (H.-R.H. Damrau, A. Geyer, M.-H. Prosenc, A. Weeber, F. Schaper and H.-H. Brintzinger), 331

Conformational analysis

Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates (H. Brunner, A. Winter and J. Breu), 285

Coordinative N → B bond

Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography (H. Höpfl, N. Farfán, D. Castillo, R. Santillan, A. Gutierrez and J.-C. Daran), 221

Copper(I) fluoride

Synthese und Reaktionsverhalten monomerer Bis(η^2-Alkin)-Kupfer(I)-Fluorid- und-Kupfer(I)-Hydrid-Komplexe (K. Köhler, H. Pritzkow und H. Lang), 31

Copper(I) hydride

Synthese und Reaktionsverhalten monomerer Bis(η^2-Alkin)-Kupfer(I)-Fluorid- und-Kupfer(I)-Hydrid-Komplexe (K. Köhler, H. Pritzkow und H. Lang), 31

Copper-mediated coupling reaction

A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes (S. Ito, K. Toyota and M. Yoshifuji), 135

Crystal structure

Formation and X-ray structure of $[\{O(Ph_2SiONa)_2\}_4 \cdot (NaOH) \cdot (H_2O) \cdot (7\ pyridine)] \cdot (toluene) \cdot (pyridine)$ incorporating a unique assembly of three fused Na_4O_4 cubane units and a μ_3-water molecule (I. Abrahams, M. Lazell, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 23

Synthesies, properties and crystal structures of ionic $[Al_2(\mu,\eta^2\text{-}thffo)_2(EtOH)_4Cl_2]Cl_2$, $[Al_3(\mu,\eta^2\text{-}thffo)_4Cl_4][AlEtCl_3]$ and tetranuclear $[Al_4(\mu,\eta^2\text{-}thffo)_4(\mu\text{-}OEt)_2Cl_6]$ (thffo = $OCH_2CH(CH_2)_3O$) compounds (P. Sobota, J. Utko, A.I. Brusilovets and L.B. Jerzykiewicz), 379

Synthesis and structure of sulfonamido cyclopentadiene titanium complexes: X-ray structure of $Ti(\eta^5\text{:}\sigma\text{-}C_5H_4CH_2CH_2NSO_2C_6H_4CH_3)Cl_2$ (C. Lensink), 387

Synthesis of the first mono(cyclopentadienyl)lanthanide Schiff base complex bearing C_2-symmetric tetradentate ligand: crystal structure of $[(\eta^5\text{-}C_5H_5)Yb(\mu\text{-}OC_{20}H_{20}N_2O)]_2(\mu\text{-}THF)(THF)$ (Q. Liu and M. Ding), 179

Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ (M. Graf, K. Merzweiler, C. Bruhn and H.-C. Böttcher), 371

C_2-symmetry

Synthesis of the first mono(cyclopentadienyl)lanthanide Schiff base complex bearing C_2-symmetric tetradentate ligand: crystal structure of $[(\eta^5\text{-}C_5H_5)Yb(\mu\text{-}OC_{20}H_{20}N_2O)]_2(\mu\text{-}THF)(THF)$ (Q. Liu and M. Ding), 179

Cumulene

Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73

CVD

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CLXVI. Molekulare Organorhenium-Vorstufen für CVD-prozesse (W.A. Herrmann, W.M. Wachter, F.E. Kühn and R.W. Fischer), 443

Cyclooctatetraenyl complexes

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393

Cyclopentadiene

Synthesis and structure of sulfonamido cyclopentadiene titanium complexes: X-ray structure of $Ti(\eta^5\text{:}\sigma\text{-}C_5H_4CH_2CH_2NSO_2C_6H_4CH_3)Cl_2$ (C. Lensink), 387

Cyclopentadienyl

A facile access to CpCr (acac)Cl and related systems (O. Heinemann, P.W. Jolly, C. Krüger and G.P.J. Verhovnik), 477

Electrochemical reduction of some $[(\eta^5\text{-}Cyclopentadienyl)(\eta^6\text{-}arene)iron(II)][PF_6]$ complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253

Synthesis and characterization of a series of sila-bridged diiron complexes $(E)[(\eta^5\text{-}t\text{-}BuC_5H_3)Fe(CO)]_2(\mu\text{-}CO)_2$ (E = Me_2Si, $Me_2SiSiMe_2$, $Me_2SiOSiMe_2$). The molecular structures of *cis*- and *trans*-$(Me_2Si)[\eta^5\text{-}t\text{-}BuC_5H_3)Fe(CO)]_2(\mu\text{-}CO)_2$ (Y. Zhang, S. Xu, G. Tian, X. Zhou and J. Sun), 149

Delocalization

Organometallic nickel(II) complexes with substituted benzonitrile ligands. Synthesis, electrochemical studies and non-linear optical properties. The X-ray crystal structure of $[Ni(\eta^5\text{-}C_5H_5)\{P(C_6H_5)_3\}(NCC_6H_4NH_2)][PF_6]$ (A.R. Dias, M.H. Garcia, P. Mendes, M.F.M. Piedade, M.T. Duarte, M.J. Calhorda, C. Mealli, W. Wenseleers, A.W. Gerbrandij and E. Goovaerts), 115

Dialkylketone

The $CoCl_2/Ph(Et)_2N{:}BH_3/CO$ system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91

DIAZEPAM

C(3) aurated 1,4-benzodiazepin-2-ones. Synthesis and characterization. Crystal structure of $(L)Au[P(C_6H_4CH_3\text{-}4)_3]$ (HL = 7-chloro-1,3-dihydro-1- methyl-5-phenyl-2H-1,4-benzodiazepin-2-one, DI-

AZEPAM) (G. Minghetti, A. Zucca, M.A. Cinellu, S. Stoccoro, M. Manassero and M. Sansoni), 405
Dicyclopentadienylzinc (Cp_2Zn)
Vibrational spectra and structure of dicyclopentadienylzinc (O.G. Garkusha, B.V. Lokshin and G.K. Borisov), 59
Digermane
Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermanes with allylic chlorides at room temperature (T. Nakano, T. Enokido, S. Noda, N.-a. A-ihara, M. Kosugi and T. Migita), 493
Dimerisation
Different reaction modes of supermesitylphosphaalkyne with [$W(CO)_5$thf]-unusual C-H-activation forming an indanyl substituent (P. Kramkowski, M. Scheer and G. Baum), 511
1,4-Diphosphabutatriene
A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes (S. Ito, K. Toyota and M. Yoshifuji), 135
Dirhenium complexes
First examples of acylgold(I) complexes $RCOAuPPh_3$ (R = Me, *n*-Bu, *t*-Bu, Ph) trapped as oxygen coordinated ligands L at one of rhenium atoms in $Re_2(\mu\text{-}PPh_2)_2(CO)_7$(ax-L) (H.-J. Haupt, D. Petters and U. Flörke), 497
Dithiacylohexane
Heteroligand substitution in clusters of ruthenium and cobalt (T.M. Räsänen, S. Jääskeläinen and T.A. Pakkanen), 453

Electrochemical reduction
Electrochemical reduction of some [(η^5-Cyclopentadienyl) (η^6-arene) iron(II)][PF_6] complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253
Electrochemistry
Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73
Electron-transfer
A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on $CpFe(CO)_2I$ (Z. Liu and S.L. Gipson), 269
Ene reaction
Lewis acid catalysed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate (H.-S. Dang and A.G. Davies), 67
Ethylene
A facile access to CpCr (acac)Cl and related systems (O. Heinemann, P.W. Jolly, C. Krüger and G.P.J. Verhovnik), 477

Ferrocene
Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73
Ferrocenecarboxaldehyde
Synthesis and reactivity of a range of 2-ferrocenyl-3-pivaloyl-1,3-oxazolidin-5-ones (F. Alonso, S.G. Davies and C.A.P. Smethurst), 463
Fluorine
X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes (V. Plack, P. Sakhaii, A. Fischer, P.G. Jones, R. Schmutzler, K. Tamao and G.-R. Sun), 111
Formates
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
Formic acid
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
Fullerenol
Reactions of fullerenols $C_{60}(OH)_x$ (x = 12, 18) with trialkoxysilanes $(RO)_3Si(CH_2)_3X$ (R = Me, X = Cl; R = Et, X = NH_2) (M. Iglesias and A. Santos), 193
Fulvalene
Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes (F. Nief and L. Ricard), 503
Functionalised cyclopentadienyl
Funktionalisierte cyclopentadienylliganden für den aufbau von tripod-komplexen: synthese und komplexchemie (B. Antelmann, G. Huttner und U. Winterhalter), 433

Germanium
Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermanes with allylic chlorides at room temperature (T. Nakano, T. Enokido, S. Noda, N.-a. A-ihara, M. Kosugi and T. Migita), 493
Germyl radical
Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring (K. Mochida, H. Ginyama, M. Takahashi and M. Kira), 163
Gold
C(3) aurated 1,4-benzodiazepin-2-ones. Synthesis and characterization. Crystal structure of (L)Au[$P(C_6H_4CH_3\text{-}4)_3$] (HL = 7-chloro-1,3-dihydro-1- methyl-5-phenyl-2H-1,4-benzodiazepin-2-one, DIAZEPAM) (G. Minghetti, A. Zucca, M.A. Cinellu, S. Stoccoro, M. Manassero and M. Sansoni), 405
Group metal
Synthesis of racemic chiral-at-metal complexes of the group 4 metals by a lithium chloride catalysed ligand redistribution reaction (S.L. Hart, A. McCamley, P.J. McCormack and P.C. Taylor), 507

Hafnium
para-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization (G. Jany, M. Gustafsson, T. Repo, E. Aitola, J.A. Dobado, M. Klinga and M. Leskelä), 173
Hapticity
ansa-Metallocene derivatives. XLI. Chiral ansa-Magnesocene complexes–syntheses, crystal structures and structural dynamics in solution (H.-R.H. Damrau, A. Geyer, M.-H. Prosenc, A. Weeber, F. Schaper and H.-H. Brintzinger), 331
Head-to-tail dimerization of acrylic compounds
Ruthenium-mediated selective head-to-tail dimerization of acrylic and α,β-unsaturated carbonyl compounds: generation of an acrylate-hydride complex $C_5Me_5Ru(PCy_3)(CH_2{=}CHCO_2Et)H$ (C.S. Yi and N. Liu), 157
Hemilability
Thioethercarboxylates in palladium chemistry: First proof of hemilabile properties of S–O ligands (W.H. Meyer, R. Brüll, H.G. Raubenheimer, C. Thompson and G.J. Kruger), 83
Heterogeneous catalysis
Selbstimmobilisierende Metallocenkatalysatoren (B. Peifer, W. Milius and H.G. Alt), 205
Hydride
Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry I. A convenient synthesis of the organoditantalum(IV) hydrides (η-$C_5Me_4R)_2Ta_2(\mu\text{-}H)_2Cl_4$ (R = Me, Et) from (η-C_5Me_4R)$TaCl_4$, and probes of the possible reaction pathways (T.-Y. Lee and L. Messerle), 397
Hydridotri(butyl)tin
Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry I. A convenient synthesis of the organoditantalum(IV) hydrides (η-$C_5Me_4R)_2Ta_2(\mu\text{-}$

H)$_2$Cl$_4$ (R = Me, Et) from (η-C$_5$Me$_4$R)TaCl$_4$, and probes of the possible reaction pathways (T.-Y. Lee and L. Messerle), 397

Hydroboration

The CoCl$_2$/Ph(Et)$_2$N:BH$_3$/CO system: Reactions of the borane and cobalt carbonyl species (M.L.N. Rao and M. Periasamy), 91

Hydroquinone

η^4-quinone, η^5-semiquinone and η^6-hydroquinone complexes of pentamethylcyclopentadienyl iridium. X-ray molecular structure of [Cp* Ir(η^4-1,4 benzoquinone)] (J. Le Bras, H. Amouri and J. Vaissermann), 483

Indenyl

para-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization (G. Jany, M. Gustafsson, T. Repo, E. Aitola, J.A. Dobado, M. Klinga and M. Leskelä), 173

Iron

A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on CpFe(CO)$_2$I (Z. Liu and S.L. Gipson), 269

Electrochemical reduction of some [(η^5-Cyclopentadienyl) (η^6-arene) iron(II)][PF$_6$] complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253

Synthesis and characterization of a series of sila-bridged diiron complexes (E)[(η^5-*t*-BuC$_5$H$_3$)Fe(CO)]$_2$(μ-CO)$_2$ (E = Me$_2$Si, Me$_2$SiSiMe$_2$, Me$_2$SiOSiMe$_2$). The molecular structures of *cis*- and *trans*-(Me$_2$Si)[η^5-*t*-BuC$_5$H$_3$)Fe(CO)]$_2$(μ-CO)$_2$ (Y. Zhang, S. Xu, G. Tian, X. Zhou and J. Sun), 149

Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73

Iron complexes

Funktionalisierte cyclopentadienylliganden für den aufbau von tripod-komplexen: synthese und komplexchemie (B. Antelmann, G. Huttner und U. Winterhalter), 433

Isomerization

Isomerization of olefins in a two-phase system by homogeneous water-soluble nickel complexes (H. Bricout, A. Mortreux and E. Monflier), 469

Labelling studies

Modelling intermediates in the catalytic carbonylation of CH$_2$I$_2$ to malonate esters; Evidence for a ketene pathway (W.S. Weston, P. Lightfoot and D.J. Cole-Hamilton), 473

Lanthanide

Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes (F. Nief and L. Ricard), 503

Laser photolysis

Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring (K. Mochida, H. Ginyama, M. Takahashi and M. Kira), 163

Macrocycles

Wasserlösliche Phosphane VII. Synthese, Koordinationschemie und Templatreaktionen PH-funktioneller Bis(phosphinoethyl)amine (A. Heßler, S. Kucken, O. Stelzer und W.S. Sheldrick), 39

Magnesium

ansa-Metallocene derivatives. XLI. Chiral ansa-Magnesocene complexes–syntheses, crystal structures and structural dynamics in solution (H.-R.H. Damrau, A. Geyer, M.-H. Prosenc, A. Weeber, F. Schaper and H.-H. Brintzinger), 331

Mechanism

Modelling intermediates in the catalytic carbonylation of CH$_2$I$_2$ to malonate esters; Evidence for a ketene pathway (W.S. Weston, P. Lightfoot and D.J. Cole-Hamilton), 473

Synthese und Reaktionsverhalten monomerer Bis(η^2-Alkin)-Kupfer(I)-Fluorid- und-Kupfer(I)-Hydrid-Komplexe (K. Köhler, H. Pritzkow und H. Lang), 31

Melamine

Fixation of triruthenium clusters on melamine: synthesis and structure of [Ru$_3$(μ_2-H)(CO)$_9$(μ_3,η^2-NHC$_3$N$_3$(NH$_2$)$_2$)], *cis*-[{Ru$_3$(μ_2-H)(CO)$_9$}$_2$(μ_3,η^2:μ_3,η^2-NHC$_3$N$_3$(NH$_2$))] and *trans*-[{Ru$_3$(μ_2-H)(CO)$_9$}$_2$(μ_3,η^2:μ_3,η^2-NHC$_3$N$_3$(NH$_2$))] (R. Dorta, H. Stoeckli-Evans, U. Bodensieck and G. Süss-Fink), 307

Metal carbonyl

Synthesis and characterization of a series of sila-bridged diiron complexes (E)[(η^5-*t*-BuC$_5$H$_3$)Fe(CO)]$_2$(μ-CO)$_2$ (E = Me$_2$Si, Me$_2$SiSiMe$_2$, Me$_2$SiOSiMe$_2$). The molecular structures of *cis*- and *trans*-(Me$_2$Si)[η^5-*t*-BuC$_5$H$_3$)Fe(CO)]$_2$(μ-CO)$_2$ (Y. Zhang, S. Xu, G. Tian, X. Zhou and J. Sun), 149

Metalla–phospha–carbon ring system

Conversion of η^2-phosphinocarbene complexes into tungstaphosphabicyclo[1.1.0]butanone units (Th. Lehotkay, K. Wurst, P. Jaitner and F.R. Kreißl), 103

Metallasiloxane

Formation and X-ray structure of [{O(Ph$_2$SiONa)$_2$}$_4$ · (NaOH) · (H$_2$O) · (7 pyridine)] · (toluene) · (pyridine) incorporating a unique assembly of three fused Na$_4$O$_4$ cubane units and a μ_3-water molecule (I. Abrahams, M. Lazell, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 23

Metallocene

Selbstimmobilisierende Metallocenkatalysatoren (B. Peifer, W. Milius and H.G. Alt), 205

ansa-Metallocene

ansa-Metallocene derivatives. XLI. Chiral ansa-Magnesocene complexes–syntheses, crystal structures and structural dynamics in solution (H.-R.H. Damrau, A. Geyer, M.-H. Prosenc, A. Weeber, F. Schaper and H.-H. Brintzinger), 331

Metallocenes

Synthesis of racemic chiral-at-metal complexes of the group 4 metals by a lithium chloride catalysed ligand redistribution reaction (S.L. Hart, A. McCamley, P.J. McCormack and P.C. Taylor), 507

Metalloene reaction

Lewis acid catalysed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate (H.-S. Dang and A.G. Davies), 67

Metathesis

Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermanes with allylic chlorides at room temperature (T. Nakano, T. Enokido, S. Noda, N.-a. A-ihara, M. Kosugi and T. Migita), 493

1-methylimidazole derivative

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. III. 1-methylimidazole derivatives: synthesis, spectroscopic and structural characterization (C. Pettinari, M. Pellei, M. Miliani, A. Cingolani, A. Cassetta, L. Barba, A. Pifferi and E. Rivarola), 345

1,2-migration

Thermal reactions of alkyl(hydrido)(hydrosilyl)iridium(III) complexes: generation of a hydrido(silylene)iridium(I) species via the reductive elimination of alkane and 1,2-H-shift from the silicon atom to the Ir(I) metal center (M. Okazaki, H. Tobita, Y. Kawano, S. Inomata and H. Ogino), 1

Migration

Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring (K. Mochida, H. Ginyama, M. Takahashi and M. Kira), 163

Molybdenum(0)

Studies on the formation of uniform η^3-coordinated triphos-Mo(0)-complexes (A. Kless, J. Holz, H. Reinke and A. Börner), 99

Molybdenum
Silyl-Komplexe des Molybdäns und Wolframs. Synthese, Reaktivität und Struktur (S.H.A. Petri, B. Neumann, H.-G. Stammler und P. Jutzi), 317
Multi-cluster
Fixation of triruthenium clusters on melamine: synthesis and structure of $[Ru_3(\mu_2\text{-}H)(CO)_9\{\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)_2\}]$, *cis*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ and *trans*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ (R. Dorta, H. Stoeckli-Evans, U. Bodensieck and G. Süss-Fink), 307

Naphthylgermane
Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring (K. Mochida, H. Ginyama, M. Takahashi and M. Kira), 163
N-donor ligand
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. III. 1-methylimidazole derivatives: synthesis, spectroscopic and structural characterization (C. Pettinari, M. Pellei, M. Miliani, A. Cingolani, A. Cassetta, L. Barba, A. Pifferi and E. Rivarola), 345
Neodymium
Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393
Nickel
Isomerization of olefins in a two-phase system by homogeneous water-soluble nickel complexes (H. Bricout, A. Mortreux and E. Monflier), 469
Nitrile orbitals
Organometallic nickel(II) complexes with substituted benzonitrile ligands. Synthesis, electrochemical studies and non-linear optical properties. The X-ray crystal structure of $[Ni(\eta^5\text{-}C_5H_5)\{P(C_6H_5)_3\}(NCC_6H_4NH_2)][PF_6]$ (A.R. Dias, M.H. Garcia, P. Mendes, M.F.M. Piedade, M.T. Duarte, M.J. Calhorda, C. Mealli, W. Wenseleers, A.W. Gerbrandij and E. Goovaerts), 115
NMR
X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes (V. Plack, P. Sakhaii, A. Fischer, P.G. Jones, R. Schmutzler, K. Tamao and G.-R. Sun), 111
NMR spectroscopy
Synthesis and characterization of $Ti(C_5H_5)(2,4\text{-}C_7H_{11})[\overbrace{POCH_2CH(O)}C_2H_4O]$ and $Ti(2,4\text{-}C_7H_{11})_2[\overbrace{POCH_2CH(O)}C_2H_4O]$ chiral phosphite adducts of an open and a half open titanocene (D. Vos, A.M. Arif and R.D. Ernst), 277
Nuclear magnetic resonance
Studies on the formation of uniform η^3-coordinated triphos-Mo(0)-complexes (A. Kless, J. Holz, H. Reinke and A. Börner), 99

Olefin
Selbstimmobilisierende Metallocenkatalysatoren (B. Peifer, W. Milius and H.G. Alt), 205
O_2-oxidation
Electrochemical reduction of some $[(\eta^5\text{-Cyclopentadienyl})(\eta^6\text{-arene})iron(II)][PF_6]$ complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253
Organic halides
Synthesis of ruthenium vinylidene complexes with dppe ligand and their cyclopropenation reaction (C.-W. Chang, P.-C. Ting, Y.-C. Lin, G.-H. Lee and Y. Wang), 417
Organo copper(I)
Synthese und Reaktionsverhalten monomerer Bis(η^2-Alkin)-Kupfer(I)-Fluorid- und-Kupfer(I)-Hydrid-Komplexe (K. Köhler, H. Pritzkow und H. Lang), 31
Organodimetallics
Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry I. A convenient synthesis of the organoditantalum(IV) hydrides $(\eta\text{-}C_5Me_4R)_2Ta_2(\mu\text{-}H)_2Cl_4$ (R = Me, Et) from $(\eta\text{-}C_5Me_4R)TaCl_4$, and probes of the possible reaction pathways (T.-Y. Lee and L. Messerle), 397
Organolanthanides
Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393
Organometallic Ni
Organometallic nickel(II) complexes with substituted benzonitrile ligands. Synthesis, electrochemical studies and non-linear optical properties. The X-ray crystal structure of $[Ni(\eta^5\text{-}C_5H_5)\{P(C_6H_5)_3\}(NCC_6H_4NH_2)][PF_6]$ (A.R. Dias, M.H. Garcia, P. Mendes, M.F.M. Piedade, M.T. Duarte, M.J. Calhorda, C. Mealli, W. Wenseleers, A.W. Gerbrandij and E. Goovaerts), 115
Organosilicon polymer
Synthesis and properties of dithienosiloles (J. Ohshita, M. Nodono, T. Watanabe, Y. Ueno, A. Kunai, Y. Harima, K. Yamashita and M. Ishikawa), 487
Organotin(IV) complex
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. III. 1-methylimidazole derivatives: synthesis, spectroscopic and structural characterization (C. Pettinari, M. Pellei, M. Miliani, A. Cingolani, A. Cassetta, L. Barba, A. Pifferi and E. Rivarola), 345
Organoytterbium complex
Synthesis of the first mono(cyclopentadienyl)lanthanide Schiff base complex bearing C_2-symmetric tetradentate ligand: crystal structure of $[(\eta^5\text{-}C_5H_5)Yb(\mu\text{-}OC_{20}H_{20}N_2O)]_2(\mu\text{-THF})(THF)$ (Q. Liu and M. Ding), 179
Oxazolidinone
Synthesis and reactivity of a range of 2-ferrocenyl-3-pivaloyl-1,3-oxazolidin-5-ones (F. Alonso, S.G. Davies and C.A.P. Smethurst), 463
Oxidative coupling reaction
Synthesis of ruthenium vinylidene complexes with dppe ligand and their cyclopropenation reaction (C.-W. Chang, P.-C. Ting, Y.-C. Lin, G.-H. Lee and Y. Wang), 417
Oxo complexes
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241

Palladium
Thioethercarboxylates in palladium chemistry: First proof of hemilabile properties of S–O ligands (W.H. Meyer, R. Brüll, H.G. Raubenheimer, C. Thompson and G.J. Kruger), 83
Palladium-catalysis
Palladium-catalyzed metathesis of phenylalkyl- or chloroalkyldigermanes with allylic chlorides at room temperature (T. Nakano, T. Enokido, S. Noda, N.-a. A-ihara, M. Kosugi and T. Migita), 493
Pentamethylcyclopentadienide
Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system (W.J. Evans, M.A. Ansari, J.W. Ziller and S.I. Khan), 141
Pentamethylcyclopentadienyl iridium
η^4-quinone, η^5-semiquinone and η^6-hydroquinone complexes of pentamethylcyclopentadienyl iridium. X-ray molecular structure of $[Cp^*Ir(\eta^4\text{-}1,4\ benzoquinone)]$ (J. Le Bras, H. Amouri and J. Vaissermann), 483

Peralkylcyclopentadienyl
Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry I. A convenient synthesis of the organoditantalum(IV) hydrides $(\eta\text{-}C_5Me_4R)_2Ta_2(\mu\text{-}H)_2Cl_4$ (R = Me, Et) from $(\eta\text{-}C_5Me_4R)TaCl_4$, and probes of the possible reaction pathways (T.-Y. Lee and L. Messerle), 397
Periphery- and Template reactions
Wasserlösliche Phosphane VII. Synthese, Koordinationschemie und Templatreaktionen PH-funktioneller Bis(phosphinoethyl)amine (A. Heßler, S. Kucken, O. Stelzer und W.S. Sheldrick), 39
Phenyl ring orientation
Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates (H. Brunner, A. Winter and J. Breu), 285
Phosphido-bridged
Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ (M. Graf, K. Merzweiler, C. Bruhn and H.-C. Böttcher), 371
Phosphinidene complexes
Different reaction modes of supermesitylphosphaalkyne with $[W(CO)_5thf]$-unusual C-H-activation forming an indanyl substituent (P. Kramkowski, M. Scheer and G. Baum), 511
η^2-Phosphinocarbene complex
Conversion of η^2-phosphinocarbene complexes into tungstaphosphabicyclo[1.1.0]butanone units (Th. Lehotkay, K. Wurst, P. Jaitner and F.R. Kreißl), 103
Photochemistry
Electronic spectrum and photoreactivity of dimethyl(1,5-cyclooctadiene)-platinum(II) (H. Kunkely and A. Vogler), 517
Photolysis
Photochemical reactions of digermanyl-substituted naphthalenes: The germyl migration to the aromatic ring (K. Mochida, H. Ginyama, M. Takahashi and M. Kira), 163
Piperidine- and piperazine alcohols
Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography (H. Höpfl, N. Farfán, D. Castillo, R. Santillan, A. Gutierrez and J.-C. Daran), 221
Planar chirality
Synthesis and reactivity of a range of 2-ferrocenyl-3-pivaloyl-1,3-oxazolidin-5-ones (F. Alonso, S.G. Davies and C.A.P. Smethurst), 463
Platinum complexes
Electronic spectrum and photoreactivity of dimethyl(1,5-cyclooctadiene)-platinum(II) (H. Kunkely and A. Vogler), 517
Polymerization
A facile access to CpCr (acac)Cl and related systems (O. Heinemann, P.W. Jolly, C. Krüger and G.P.J. Verhovnik), 477
para-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization (G. Jany, M. Gustafsson, T. Repo, E. Aitola, J.A. Dobado, M. Klinga and M. Leskelä), 173
Selbstimmobilisierende Metallocenkatalysatoren (B. Peifer, W. Milius and H.G. Alt), 205
PRAZEPAM
C(3) aurated 1,4-benzodiazepin-2-ones. Synthesis and characterization. Crystal structure of (L)Au[$P(C_6H_4CH_3\text{-}4)_3$] (HL = 7-chloro-1,3-dihydro-1- methyl-5-phenyl-2H-1,4-benzodiazepin-2-one, DIAZEPAM) (G. Minghetti, A. Zucca, M.A. Cinellu, S. Stoccoro, M. Manassero and M. Sansoni), 405

Quinone
η^4-quinone, η^5-semiquinone and η^6-hydroquinone complexes of pentamethylcyclopentadienyl iridium. X-ray molecular structure of [$Cp^*Ir(\eta^4\text{-}1,4$ benzoquinone)] (J. Le Bras, H. Amouri and J. Vaissermann), 483

Raman spectra
Vibrational spectra and structure of dicyclopentadienylzinc (O.G. Garkusha, B.V. Lokshin and G.K. Borisov), 59
X-Ray analysis of *E*- and *Z*-(ethylene)isomers
X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes (V. Plack, P. Sakhaii, A. Fischer, P.G. Jones, R. Schmutzler, K. Tamao and G.-R. Sun), 111
Rearrangement
An unusual rearrangement of 1-trimethylsiloxy-3-bromomagnesium-2-propyne (A.S. Medvedeva, V.V. Novokshonov, M.M. Demina and M.G. Voronkov), 481
Reduction
A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on $CpFe(CO)_2I$ (Z. Liu and S.L. Gipson), 269
Rhenium
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CLXVI. Molekulare Organorhenium-Vorstufen für CVD-prozesse (W.A. Herrmann, W.M. Wachter, F.E. Kühn and R.W. Fischer), 443
Rhodium complexes
Modelling intermediates in the catalytic carbonylation of CH_2I_2 to malonate esters; Evidence for a ketene pathway (W.S. Weston, P. Lightfoot and D.J. Cole-Hamilton), 473
ROMP
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241
Ruthenium
Fixation of triruthenium clusters on melamine: synthesis and structure of $[Ru_3(\mu_2\text{-}H)(CO)_9\{\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)_2\}]$, *cis*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ and *trans*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ (R. Dorta, H. Stoeckli-Evans, U. Bodensieck and G. Süss-Fink), 307
Heteroligand substitution in clusters of ruthenium and cobalt (T.M. Räsänen, S. Jääskeläinen and T.A. Pakkanen), 453
Synthesis of triruthenium clusters containing mixed bridging phosphido ligands: X-ray crystal structures of $[Ru_3(CO)_7(\mu\text{-}H)(\mu\text{-}PBu^t_2)(\mu\text{-}PCy_2)_2]$ and the electron-deficient complex $[Ru_3(\mu\text{-}CO)(CO)_5(\mu\text{-}H)_2(\mu\text{-}PBu^t_2)_2(Bu^t_2PH)]$ (M. Graf, K. Merzweiler, C. Bruhn and H.-C. Böttcher), 371
Ruthenium-hydride complexes
Ruthenium-mediated selective head-to-tail dimerization of acrylic and α,β-unsaturated carbonyl compounds: generation of an acrylate-hydride complex $C_5Me_5Ru(PCy_3)(CH_2{=}CHCO_2Et)H$ (C.S. Yi and N. Liu), 157

Sakurai reaction
Lewis acid catalysed M-ene, H-ene, and cycloaddition reactions of allylic stannanes and silanes with methyl propiolate (H.-S. Dang and A.G. Davies), 67
Samarium
Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393
Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes (F. Nief and L. Ricard), 503
Schiff base
Synthesis of the first mono(cyclopentadienyl)lanthanide Schiff base complex bearing C_2-symmetric tetradentate ligand: crystal struc-

ture of [(η^5-C_5H_5)Yb(μ-$OC_{20}H_{20}N_2O$)]$_2$(μ-THF)(THF) (Q. Liu and M. Ding), 179
Secondary amine
Electrochemical reduction of some [(η^5-Cyclopentadienyl) (η^6-arene) iron(II)][PF_6] complexes bearing an imine or a nitrone function in benzylic position of the arene ligand (F. Pierre, A. Stricker, C. Moinet, S. Sinbandhit and L. Toupet), 253
Selective attack of nucleophile
First examples of acylgold(I) complexes $RCOAuPPh_3$ (R = Me, *n*-Bu, *t*-Bu, Ph) trapped as oxygen coordinated ligands L at one of rhenium atoms in $Re_2(\mu$-$PPh_2)_2(CO)_7$(ax-L) (H.-J. Haupt, D. Petters and U. Flörke), 497
Semiquinone
η^4-quinone, η^5-semiquinone and η^6-hydroquinone complexes of pentamethylcyclopentadienyl iridium. X-ray molecular structure of [$Cp^*Ir(\eta^4$-1,4 benzoquinone)] (J. Le Bras, H. Amouri and J. Vaissermann), 483
Sila-bridged
Synthesis and characterization of a series of sila-bridged diiron complexes (E)[(η^5-*t*-BuC_5H_3)Fe(CO)]$_2$(μ-CO)$_2$ (E = Me_2Si, $Me_2SiSiMe_2$, $Me_2SiOSiMe_2$). The molecular structures of *cis*- and *trans*-(Me_2Si)[η^5-*t*-BuC_5H_3)Fe(CO)]$_2$(μ-CO)$_2$ (Y. Zhang, S. Xu, G. Tian, X. Zhou and J. Sun), 149
Silicon
X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes (V. Plack, P. Sakhaii, A. Fischer, P.G. Jones, R. Schmutzler, K. Tamao and G.-R. Sun), 111
Silole
Synthesis and properties of dithienosiloles (J. Ohshita, M. Nodono, T. Watanabe, Y. Ueno, A. Kunai, Y. Harima, K. Yamashita and M. Ishikawa), 487
Silyl
Silyl-Komplexe des Molybdäns und Wolframs. Synthese, Reaktivität und Struktur (S.H.A. Petri, B. Neumann, H.-G. Stammler und P. Jutzi), 317
Silylacetylenic alcohols
An unusual rearrangement of 1-trimethylsiloxy-3-bromomagnesium-2-propyne (A.S. Medvedeva, V.V. Novokshonov, M.M. Demina and M.G. Voronkov), 481
Silylene complex
Thermal reactions of alkyl(hydrido)(hydrosilyl)iridium(III) complexes: generation of a hydrido(silylene)iridium(I) species via the reductive elimination of alkane and 1,2-H-shift from the silicon atom to the Ir(I) metal center (M. Okazaki, H. Tobita, Y. Kawano, S. Inomata and H. Ogino), 1
Silyl ethers
An unusual rearrangement of 1-trimethylsiloxy-3-bromomagnesium-2-propyne (A.S. Medvedeva, V.V. Novokshonov, M.M. Demina and M.G. Voronkov), 481
Silyliridium
Thermal reactions of alkyl(hydrido)(hydrosilyl)iridium(III) complexes: generation of a hydrido(silylene)iridium(I) species via the reductive elimination of alkane and 1,2-H-shift from the silicon atom to the Ir(I) metal center (M. Okazaki, H. Tobita, Y. Kawano, S. Inomata and H. Ogino), 1
Silyl migration
An unusual rearrangement of 1-trimethylsiloxy-3-bromomagnesium-2-propyne (A.S. Medvedeva, V.V. Novokshonov, M.M. Demina and M.G. Voronkov), 481
Single-source precursor
Silyl-Komplexe des Molybdäns und Wolframs. Synthese, Reaktivität und Struktur (S.H.A. Petri, B. Neumann, H.-G. Stammler und P. Jutzi), 317
Sodium
Formation and X-ray structure of [{$O(Ph_2SiONa)_2$}$_4$ · (NaOH) · (H_2O) · (7 pyridine)] · (toluene) · (pyridine) incorporating a unique assembly of three fused Na_4O_4 cubane units and a μ_3-water molecule (I. Abrahams, M. Lazell, M. Motevalli, S.A.A. Shah and A.C. Sullivan), 23
Steric protection
A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes (S. Ito, K. Toyota and M. Yoshifuji), 135
Structural analyses
Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates (H. Brunner, A. Winter and J. Breu), 285
Structures
Wasserlösliche Phosphane VII. Synthese, Koordinationschemie und Templatreaktionen PH-funktioneller Bis(phosphinoethyl)amine (A. Heßler, S. Kucken, O. Stelzer und W.S. Sheldrick), 39
Substitution
A thermodynamic study of the electron transfer chain catalyzed substitution of triphenylphosphine for iodide on $CpFe(CO)_2I$ (Z. Liu and S.L. Gipson), 269
Sulfonamido
Synthesis and structure of sulfonamido cyclopentadiene titanium complexes: X-ray structure of Ti(η^5:σ-$C_5H_4CH_2CH_2NSO_2C_6H_4CH_3$)$Cl_2$ (C. Lensink), 387
Sulphur–oxygen ligands
Thioethercarboxylates in palladium chemistry: First proof of hemilabile properties of S–O ligands (W.H. Meyer, R. Brüll, H.G. Raubenheimer, C. Thompson and G.J. Kruger), 83
Supermesitylphosphaalkyne
Different reaction modes of supermesitylphosphaalkyne with [$W(CO)_5$thf]-unusual C-H-activation forming an indanyl substituent (P. Kramkowski, M. Scheer and G. Baum), 511

Tantalum
Utility of hydridotributyltin as both reductant and hydride transfer reagent in organotransition metal chemistry I. A convenient synthesis of the organoditantalum(IV) hydrides (η-$C_5Me_4R)_2Ta_2(\mu$-$H)_2Cl_4$ (R = Me, Et) from (η-C_5Me_4R)$TaCl_4$, and probes of the possible reaction pathways (T.-Y. Lee and L. Messerle), 397
Thermogravimetry
Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CLXVI. Molekulare Organorhenium-Vorstufen für CVD-prozesse (W.A. Herrmann, W.M. Wachter, F.E. Kühn and R.W. Fischer), 443
Through-space coupling
X-ray analysis and NMR-studies of *E*- and *Z*-1,2-bis(fluorodimethylsilyl)-1,2-diphenylethenes (V. Plack, P. Sakhaii, A. Fischer, P.G. Jones, R. Schmutzler, K. Tamao and G.-R. Sun), 111
Tin(IV) complex
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. III. 1-methylimidazole derivatives: synthesis, spectroscopic and structural characterization (C. Pettinari, M. Pellei, M. Miliani, A. Cingolani, A. Cassetta, L. Barba, A. Pifferi and E. Rivarola), 345
Titanium
Synthesis and structure of sulfonamido cyclopentadiene titanium complexes: X-ray structure of Ti(η^5:σ-$C_5H_4CH_2CH_2NSO_2C_6H_4CH_3$)$Cl_2$ (C. Lensink), 387
Titanocene
Synthese und Reaktionsverhalten monomerer Bis(η^2-Alkin)-Kupfer(I)-Fluorid- und-Kupfer(I)-Hydrid-Komplexe (K. Köhler, H. Pritzkow und H. Lang), 31
Synthesis and characterization of Ti(C_5H_5)(2,4-C_7H_{11})[$\overbrace{POCH_2CH(O)C_2H_4O}$] and Ti(2,4-$C_7H_{11})_2$ [$\overbrace{POCH_2CH(O)C_2H_4O}$] chiral phosphite adducts of an open and a half open titanocene (D. Vos, A.M. Arif and R.D. Ernst), 277

Transesterification
Reactions of fullerenols $C_{60}(OH)_x$ ($x = 12$, 18) with trialkoxysilanes $(RO)_3Si(CH_2)_3X$ (R = Me, X = Cl; R = Et, X = NH_2) (M. Iglesias and A. Santos), 193
Transfer hydrogenation
Asymmetric transfer hydrogenation of acrylic acids catalyzed by rhodium(I) complexes of diphosphine ligands (A.M.d'A. Rocha Gonsalves, J.C. Bayón, M.M. Pereira, M.E.S. Serra and J.P.R. Pereira), 199
Trialkoxysilanes
Reactions of fullerenols $C_{60}(OH)_x$ ($x = 12$, 18) with trialkoxysilanes $(RO)_3Si(CH_2)_3X$ (R = Me, X = Cl; R = Et, X = NH_2) (M. Iglesias and A. Santos), 193
Trimethylsilylation
Universal method for trimethylsilylation of acetylenic alcohols and glycols (M. Demina, A. Velikanov, A. Medvedeva, L. Larina and M. Voronkov), 129
Triple-decker sandwich complexes
Cyclooctatetraenyl complexes of the early transition metals and lanthanides. X. The first organometallic triple decker sandwich complexes of the lanthanides (P. Poremba and F.T. Edelmann), 393
Tripodal ligands
Funktionalisierte cyclopentadienylliganden für den aufbau von tripod-komplexen: synthese und komplexchemie (B. Antelmann, G. Huttner und U. Winterhalter), 433
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241
Studies on the formation of uniform η^3-coordinated triphos-Mo(0)-complexes (A. Kless, J. Holz, H. Reinke and A. Börner), 99
Trisphosphines
Studies on the formation of uniform η^3-coordinated triphos-Mo(0)-complexes (A. Kless, J. Holz, H. Reinke and A. Börner), 99
Tris(2-thienyl)phosphine
Heteroligand substitution in clusters of ruthenium and cobalt (T.M. Räsänen, S. Jääskeläinen and T.A. Pakkanen), 453
Tungstaphosphabicyclo[1.1.0]butanone complex
Conversion of η^2-phosphinocarbene complexes into tungstaphosphabicyclo[1.1.0]butanone units (Th. Lehotkay, K. Wurst, P. Jaitner and F.R. Kreißl), 103
Tungsten
Neue Wolfram(VI) carbin- und Carbenkomplexe durch Reaktion von Chlorocarbinkomplexen mit Nukleophilen. Neue Katalysatoren für die ringöffnende metathetische Polymerisation von Cycloolefinen (W. Kläui und T. Hardt), 241
Silyl-Komplexe des Molybdäns und Wolframs. Synthese, Reaktivität und Struktur (S.H.A. Petri, B. Neumann, H.-G. Stammler und P. Jutzi), 317
Tungsten complexes
Different reaction modes of supermesitylphosphaalkyne with $[W(CO)_5thf]$-unusual C-H-activation forming an indanyl substituent (P. Kramkowski, M. Scheer and G. Baum), 511
Tungsten pentacarbonyl complex
A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes (S. Ito, K. Toyota and M. Yoshifuji), 135
Two-phase system
Isomerization of olefins in a two-phase system by homogeneous water-soluble nickel complexes (H. Bricout, A. Mortreux and E. Monflier), 469

Vibrational frequencies
Vibrational spectra and structure of dicyclopentadienylzinc (O.G. Garkusha, B.V. Lokshin and G.K. Borisov), 59

Water soluble phosphines
Isomerization of olefins in a two-phase system by homogeneous water-soluble nickel complexes (H. Bricout, A. Mortreux and E. Monflier), 469

X-ray analysis
A convenient synthesis of a sterically protected 1,4-diphosphabutatriene and its pentacarbonyltungsten complexes (S. Ito, K. Toyota and M. Yoshifuji), 135
X-ray crystallography
Study of cyclic borinates obtained from piperidine- and piperazine alcohols by spectroscopic methods and X-ray crystallography (H. Höpfl, N. Farfán, D. Castillo, R. Santillan, A. Gutierrez and J.-C. Daran), 221
X-ray diffraction
Silyl-Komplexe des Molybdäns und Wolframs. Synthese, Reaktivität und Struktur (S.H.A. Petri, B. Neumann, H.-G. Stammler und P. Jutzi), 317
Synthesis and characterization of a series of sila-bridged diiron complexes $(E)[(\eta^5\text{-}t\text{-}BuC_5H_3)Fe(CO)]_2(\mu\text{-}CO)_2$ (E = Me_2Si, $Me_2SiSiMe_2$, $Me_2SiOSiMe_2$). The molecular structures of *cis*- and *trans*-$(Me_2Si)[\eta^5\text{-}t\text{-}BuC_5H_3)Fe(CO)]_2(\mu\text{-}CO)_2$ (Y. Zhang, S. Xu, G. Tian, X. Zhou and J. Sun), 149
X-ray structure
Fixation of triruthenium clusters on melamine: synthesis and structure of $[Ru_3(\mu_2\text{-}H)(CO)_9\{\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)_2\}]$, *cis*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ and *trans*-$[\{Ru_3(\mu_2\text{-}H)(CO)_9\}_2\{\mu_3,\eta^2\text{:}\mu_3,\eta^2\text{-}NHC_3N_3(NH_2)\}]$ (R. Dorta, H. Stoeckli-Evans, U. Bodensieck and G. Süss-Fink), 307
Tetraferrocenyl-[3]-cumulene (B. Bildstein, M. Schweiger, H. Kopacka and K. Wurst), 73

Ytterbium
Synthesis, structural characterisation and dynamic behaviour of pentafulvalenyldilanthanide(II) complexes (F. Nief and L. Ricard), 503
Yttrium
Synthesis and structure of alkali metal 'ate' complexes in the yttrium/2,6-dimethylphenoxide system (W.J. Evans, M.A. Ansari, J.W. Ziller and S.I. Khan), 141

Zirconium
para-Fluoro benzyl substituted bis(indenyl) metallocenes as catalyst precursors in ethene polymerization (G. Jany, M. Gustafsson, T. Repo, E. Aitola, J.A. Dobado, M. Klinga and M. Leskelä), 173
Selbstimmobilisierende Metallocenkatalysatoren (B. Peifer, W. Milius and H.G. Alt), 205